



Vulcan Mytho EVO

Trelleborg Printing Solutions copyright



Vulcan Mytho EVO



New Mytho EVO



Neutral Paper Feeding




Product Life-time



Product performance

Mytho Evo



KEY PERFORMANCE

- Further enhanced **Feed-0 technology** benefits thanks to new carcass structure with **thicker compressible layer**:
 - ✓ Optimum paper feed tension
 - ✓ Reduced risks of paper breaks
 - ✓ Easier control of color register during the start-up
 - ✓ Improved paper wastage control
 - ✓ Improved paper release and reverse piling
- Improved **product performance** thanks **new top compound** which provides exceptional resistance against **ghosting** issues as well as exceptional **print quality**
- Improved **product lifetime** thanks to higher adhesion of first fabric ply

INK COMPATIBILITY	Hybrid
SURFACE COLOUR	Amaranth
THICKNESS (mm)	1.70
AVERAGE LOAD VALUE N/cm2 @ 0,23 mm Indentation	250
SURFACE ROUGHNESS (Ra micron)	0.8
FEAD FEATURES	Neutral
ELONGATION (%)	<0.9
TENSILE STRENGTH (N/mm)	>60
WSP	Yes
ADDITIONAL INFORMATION	Excellent choice for wide format web heatset presses



TRELLEBORG

www.Trelleborg.com/printing

email to printingsm@trelleborg.com